

Region	Number	ID_RegNum	Name of Owner/Operator	Street Address	City	Operator State	Zip Code
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

County	State	Tribe	Company	Business Type	Injection Well ID#	Area Permit #	Well Class	Injection Activity
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08300003		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08300011		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320051		II	EOR

Aquifer Exemption Location (Section)	Aquifer Exemption Location (Township)	Aquifer Exemption Location (Range)	Aquifer Exemption Location Baseline & Meridian)	Aquifer Exemption Location (Degrees Latitude)	Aquifer Exemption Location (Degrees Longitude)	Aquifer Exemption Location Notes	Aquifer Exemption Delineation Area	Aquifer Exemption Delineation Unit
36	9N	33W	SB	34.813158	-120.300907	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.831220	-120.303061	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.829211	-120.302997	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Aquifer Exemption Delineation Notes	Aquifer Exemption Depth	Aquifer Exemption Depth Units	Well Depths	Injection Zone	Confining zone	Formation Thickness	Lithology	Water Quality
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2388	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2260	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2325	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

Injectate Characteristics	Program Revision Type (S or NS)	Approval Date	Criteria Cited	Comments/ notes	Date added	Source
TDS = 0 ppm	NS					DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS					DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS					DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320156		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320220		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320251		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320381		II	EOR

25	9N	33W	SB	34.832719	-120.307956	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.847472	-120.305213	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.843817	-120.300271	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.849474	-120.311945	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2690	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	1823	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2000	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	3189	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320400		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320624		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320644		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320647		II	EOR

36	9N	33W	SB	34.814572	-120.305118	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.823883	-120.310732	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.825777	-120.309735	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.82772	-120.307372	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2440	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2563	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2563	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2495	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320704		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320716		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320723		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320736		II	EOR

25	9N	33W	SB	34.827629	-120.309643	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.827022	-120.308488	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.824323	-120.30678	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.829383	-120.305059	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2620	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2642	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2530	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2275	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320740		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320776		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320808		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320816		II	EOR

25	9N	33W	SB	34.825748	-120.305129	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
36	9N	33W	SB	34.816885	-120.300869	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.824908	-120.31075	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.825863	-120.310755	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2312	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2487	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2540	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2610	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320818		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320819		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320820		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320821		II	EOR

25	9N	33W	SB	34.831914	-120.30439	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.824809	-120.308078	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.826118	-120.306679	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.827618	-120.307227	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2320	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2320	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2401	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2515	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320835		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320836		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320838		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320855		II	EOR

25	9N	33W	SB	34.82703	-120.30832	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.826902	-120.3085	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.826765	-120.308512	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.823448	-120.310253	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2681	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2689	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2635	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2556	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320856		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320878		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320879		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320880		II	EOR

25	9N	33W	SB	34.823311	-120.310198	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.825775	-120.311899	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.822105	-120.309601	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.822896	-120.308563	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2575	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2561	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2520	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2518	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320881		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320882		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320885		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320900		II	EOR

25	9N	33W	SB	34.824205	-120.306994	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.824012	-120.312088	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.830891	-120.306866	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.845749	-120.305191	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2310	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2570	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2428	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	1871	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320901		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320902		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320923		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320924		II	EOR

25	9N	33W	SB	34.82935	-120.307357	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.831193	-120.30504	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.831206	-120.309556	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.828471	-120.306098	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2382	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2295	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2712	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2327	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320925		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320939		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320956		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08320959		II	EOR

36	9N	33W	SB	34.819522	-120.299798	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.821911	-120.312048	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.845731	-120.307285	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.822043	-120.307245	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2552	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2588	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2038	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2615	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321003		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321066		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321067		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321081		II	EOR

36	9N	33W	SB	34.820822	-120.307035	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.82757	-120.305073	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.821877	-120.296701	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.843978	-120.306308	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2504	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2265	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2045	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2153	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321085		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321086		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321090		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321091		II	EOR

25	9N	33W	SB	34.832689	-120.308148	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.832157	-120.306558	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.843911	-120.306233	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.829395	-120.309482	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2593	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2482	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2175	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2689	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321092		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321093		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321099		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321135		II	EOR

25	9N	33W	SB	34.827589	-120.31168	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.823604	-120.304881	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.84391	-120.30629	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.823878	-120.307479	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2621	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2445	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2040	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2549	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321145		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321151		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321154		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321161		II	EOR

25	9N	33W	SB	34.830858	-120.306824	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
36	9N	33W	SB	34.82043	-120.296459	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.84675	-120.302353	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.829431	-120.309456	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2359	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2033	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	1692	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2678	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321163		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321164		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321234		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321235		II	EOR

24	9N	33W	SB	34.843725	-120.30027	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.841049	-120.298261	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.841159	-120.298327	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.833624	-120.310278	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2055	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2112	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2137	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2550	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321240		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321324		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321357		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321358		II	EOR

25	9N	33W	SB	34.831216	-120.305084	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.845453	-120.300198	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.83269	-120.308095	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.831917	-120.304445	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2356	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2116	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2608	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2288	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321361		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321494		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321495		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321496		II	EOR

25	9N	33W	SB	34.831111	-120.303218	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.832195	-120.306554	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.829375	-120.307409	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.831169	-120.304987	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2480	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2438	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2391	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2287	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321557		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321558		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321559		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321560		II	EOR

25	9N	33W	SB	34.831191	-120.309509	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.829349	-120.309506	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.828759	-120.306003	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.833635	-120.310472	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2600	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2676	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2371	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2618	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321561		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321562		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321563		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321568		II	EOR

25	9N	33W	SB	34.825768	-120.310582	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.824072	-120.307634	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.828497	-120.306157	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.824934	-120.3107	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2568	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2604	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2364	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2571	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321572		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321636		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321638		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321644		II	EOR

25	9N	33W	SB	34.828759	-120.306061	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.843913	-120.306171	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.845733	-120.30524	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.823728	-120.312113	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2421	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2087	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	1193	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2614	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321645		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321708		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321809		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321846		II	EOR

25	9N	33W	SB	34.823017	-120.310177	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.829371	-120.305112	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.823955	-120.298655	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.826668	-120.298629	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2534	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2626	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2415	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2289	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321870		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321871		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321911		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321912		II	EOR

25	9N	33W	SB	34.823985	-120.303049	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
36	9N	33W	SB	34.82047	-120.296441	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
36	9N	33W	SB	34.818866	-120.2975	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.823645	-120.304869	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2650	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2470	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2673	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2829	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321914		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321959		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321961		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321962		II	EOR

25	9N	33W	SB	34.824405	-120.300695	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
24	9N	33W	SB	34.848217	-120.312633	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
36	9N	33W	SB	34.820725	-120.299573	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
36	9N	33W	SB	34.820888	-120.299521	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2527	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2674	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2603	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2503	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321963		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321964		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321969		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321970		II	EOR

36	9N	33W	SB	34.818882	-120.297714	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
36	9N	33W	SB	34.817269	-120.298601	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.826182	-120.300148	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.822676	-120.298037	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2523	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2780	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2780	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2344	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321971		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08321972		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322026		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322028		II	EOR

25	9N	33W	SB	34.823931	-120.295346	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.821931	-120.296661	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.831377	-120.303261	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.827404	-120.301619	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2468	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2240	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2438	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2463	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322068		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322086		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322087		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322088		II	EOR

25	9N	33W	SB	34.825627	-120.302908	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.827411	-120.301305	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.825524	-120.29934	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.825063	-120.296303	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2380	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2696	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2758	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2571	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322118		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322120		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322121		II	EOR
Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322127		II	EOR

25	9N	33W	SB	34.824009	-120.298759	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.822722	-120.297986	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.821867	-120.296476	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
25	9N	33W	SB	34.832096	-120.30442	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2495	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2425	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2431	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2576	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm

TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
TDS = 0 ppm	NS				DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report

9			ERG Operating Company, LLC	6155 Old Rig Rd.	Santa Maria	CA	93454
---	--	--	----------------------------	------------------	-------------	----	-------

Santa Barbara	CA		ERG Operating Company, LLC	Petroleum Production	08322130		II	EOR
------------------	----	--	-------------------------------	-------------------------	----------	--	----	-----

25	9N	33W	SB	34.827776	-120.303585	Within the boundaries of the Cat Canyon State Designated Oil Field.	11.25	sq miles
----	----	-----	----	-----------	-------------	---	-------	----------

Proposed aquifer exemption is an expansion of the existing aquifer exemption area.	1500 ft - 4400 ft	ft	2707	Sisquoc	Foxen	1100 ft - 2500 ft	Loosely consolidated sandstone & diatomaceous mudstone.	TDS = 8,500 ppm
---	----------------------	----	------	---------	-------	----------------------	---	--------------------

TDS = 0 ppm	NS					DOGGR Online Production & Injection Database; DOGGR Well Records; ERG Technical Report
-------------	----	--	--	--	--	--